

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24728

Stream : Little Cool Creek

Applicant : City of Carmel
Michael T McBride
One Civic Square
Carmel, IN 46032-2584

Description : The City of Carmel proposes the construction of a new pedestrian trail. The western terminus of the trail is the existing Monon Trail just north of East 136th Street (Smokey Row Road). The trail will continue east over North Range Line Road, follow an existing utility easement, and then turn north along Cool Creek. The trail will cross Cool Creek on a new pedestrian bridge located just downstream of the Cool Creek Boulevard bridge near an existing apartment complex. The trail will follow Cool Creek on the west side and cross under Keystone Avenue and Lowe's Way underneath the overpass structures. The trail will then turn north and follow the edge of the riparian corridor until it terminates at 146th Street near the Carmel water tower. The planned trail will be 12' wide with 2' stone shoulders. The new bridge planned is a 115' single-span prefabricated truss bridge. Bridge width will be 12'-0" out-to-out of trusses. Vertical modular block walls will be outside the Q100 flood expansion limits downstream of the Cool Creek Boulevard bridge in order to cause no adverse affect to flood elevations. Low structure will be 809.9' NGVD. Revetment riprap will be provided in front of the abutments and keyed in at the edge of water, conforming to the existing ground profile. Details of the project are contained in information and plans received at the Division of Water on December 14, 2007.

Location : Beginning approximately 850' north of the existing Monon Trail and East 136th Street (Smokey Row Road) intersection and extending 1090' east to a point 300' east of the Range Line Road crossing over Little Cool Creek
DOWNSTREAM: near Carmel, Clay Township, Hamilton County
NW¼, SW¼, SW¼, Section 19, T 18N, R 3E, Carmel Quadrangle
Quad Code: 3908682
UTM Coordinates: Downstream 4426781 North, 574623 East
UPSTREAM: NW¼, SE¼, SE¼, Section 24

UTM Coordinates: Upstream 4426759 North, 574269 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24731

Stream : Fish Creek

Applicant : David & Delores Loveall
13755 Langley Court
Carmel, IN 46032-5236

Description : A 25' by 12' by 6" ford will be constructed in the creek to provide private access to property. Riprap will be placed on the banks. A 10' wide gravel drive will be placed at grade. Details of the project are contained in information and plans received at the Division of Water on February 29, 2008.

Location : Along the east and west banks of Fish Creek for 20' on property near Spencer, Morgan Township, Owen County
SE¼, NW¼, NW¼, Section 3, T 10N, R 4W, Spencer Quadrangle
Quad Code: 3908637
UTM Coordinates: Downstream 4354157 North, 513134 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24736

Stream : Muncie Creek

Applicant : Civil Site Group Inc
Kevin C Sumner LS
643 Massachusetts Avenue, Suite 200
Indianapolis, IN 46204-1653

Description : A 70' by 150' addition to the church has been constructed at grade. Details of the project are contained in information and plans received at the Division of Water on March 3, 2008.

Location : Along the left (east) bank of Muncie Creek beginning at the bridge crossing of Centennial Ave & continuing upstream approximately 450 feet at Muncie, Center Township, Delaware County
Section 3, T 20N, R 10E, Muncie West Quadrangle
Quad Code: 4008524
UTM Coordinates: Downstream 4452204 North, 638219 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24738

Stream : Fish Creek

Applicant : Terry Killen
333 South Union Street
Westfield, IN 46074-9456

Description : A 18' by 10' by 6" ford will be constructed in the creek to provide private access to property. Riprap will be placed on the banks. A 10' wide gravel drive will be placed at grade. Details of the project are contained in information and plans received at the Division of Water on February 29, 2008 and March 3, 2008.

Location : Along the east and west banks of Fish Creek for 20' on property
near Spencer, Morgan Township, Owen County
NE¼, SW¼, NW¼, Section 3, T 10N, R 4W, Spencer Quadrangle
Quad Code: 3908637
UTM Coordinates: Downstream 4354047 North, 513215 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24741

Stream : Burgett Ditch

Applicant : White County Drainage Board
Dennis W Sterrett
110 North Main Street
PO Box 357
Monticello, IN 47960-0357

Description : Approximately 28,000 feet of Burgett Ditch will be cleared of trees and brush on one side and off the opposite slope. Cleared trees will be cut off close to the ground and the stumps treated with Tordon. Any stumps more than 10 feet landward from the top of bank will be dug out and burned or buried with a minimum 3 feet of cover. Stumps will be left on the side slopes so as not to disturb the slopes. Fallen trees, brush and logjams will be removed from the ditch bottom using an excavator. Root wads will not be removed from the ditch bottom. Details of the project are contained in information and plans received at the Division of Water on March 4, 2008.

Location : The project will begin approximately 2600 feet east of County Road 700 East, where Burgett Ditch branches from Keans Creek and continue upstream (east) approximately 28,000 feet to County Road 500 North
DOWNSTREAM: near Buffalo, Liberty Township, White County
N $\frac{1}{2}$, Section 2, T 27N, R 3W, Idaville Quadrangle
Quad Code: 4008676
UTM Coordinates: Downstream 4519001 North, 523143 East
UPSTREAM: near Buffalo, Liberty Township, White County
N $\frac{1}{2}$, NW $\frac{1}{4}$, N $\frac{1}{2}$, Section 3, T 28N, R 2W, Idaville Quadrangle
Quad Code: 4008676
UTM Coordinates: Upstream 4519378 North, 530801 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24748

Stream : Clifty Creek

Applicant : Columbus City Utilities
Ed Bergsieker
1111 McClure Road
PO Box 1987
Columbus, IN 47202-1987

Description : A new lift station will be constructed within the floodway and will connect to new utility lines to be constructed landward of the floodway, and 440 cubic yards of fill material will be used at the new lift station to raise the Base Flood Elevation. In addition, a 6' high chain link fence will be constructed around the new lift station area and an existing lift station at the site will be removed. Details of the project are contained in information and plans received at the Division of Water on March 7, 2008.

Location : Beginning approximately 3300' east of the Brooks Street and Indiana Avenue intersection and extending approximately 5300' west to the Cherry Street and Indiana Avenue intersection
near Columbus, Columbus Township, Bartholomew County
NW¼, SE¼, NE¼, Section 29, T 9N, R 6E, Columbus Quadrangle
Quad Code: 3908528
UTM Coordinates: Downstream 4339340 North, 596759 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24749

Stream : Clifty Creek

Applicant : Columbus City Utilities
Ed Bergsieker
1111 McClure Road
PO Box 1987
Columbus, IN 47202-1987

Description : Approximately 17,490' of various diameter sanitary sewer line and 9,440' of various diameter water main will be placed along the right (northwest) overbank. Both the sanitary sewer line and the water main will cross the stream at one location. The crossings will be placed by the directional bore method. They will have 4' of cover beneath the streambed and the banks. Two existing lift stations will be removed. Details of the project are contained in information and plans received at the Division of Water on March 7, 2008.

Location : Beginning approximately 4050' east of the Brooks Street and Indiana Avenue extending 500' east and 6800' north to 5000' east
DOWNSTREAM: near Columbus, Columbus Township, Bartholomew County
SE $\frac{1}{4}$, NE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 15, T 9N, R 6E, Columbus Quadrangle
Quad Code: 3908528
UTM Coordinates: Downstream 4339345 North, 596967 East
UPSTREAM: Bartholomew County
S $\frac{1}{2}$, SE $\frac{1}{4}$, SE $\frac{1}{4}$

UTM Coordinates: Upstream 4341571 North, 598700 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24750

Stream : Deeds Creek

Applicant : Dan P Cordill
1575 North 175 East
Warsaw, IN 46582-7206

Description : A 30' x 40' addition to an existing 24' x 30' storage garage which is now (wasn't previously) shown as located within the flood plain. There are and will be no living quarters in this structure. The building is used for auto, tractor storage etc. If this addition is not allowed, I would like permission to add the largest size addition allowable. Details of the project are contained in information received electronically at the Division of Water on March 10, 2008 and in plans and information received at the Division of Water on

Location : 1575 North 175 East
near Warsaw, Wayne Township, Kosciusko County
Section 3, T 32N, R 6E, Leesburg Quadrangle
Quad Code: 4108537

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24754

Stream : Wabash River

Applicant : Sierra Bravo Contractors LLC
Richard Dulle
PO Box 130
7038 Highway 154
Sesser, IL 62884

Description : Project is construction of a temporary borrow pit to be used in the construction of the new bridge across the Wabash River. Total disturbed area will be 8 acres. Actual borrow pit will be 3.5 acres. Remaining area will be used as haul road from the borrow pit to the fill area and as a temporary topsoil stockpile area. Topsoil from the borrow pit will be placed in a temporary berm adjacent to an existing berm. Temporary berm will be used as an emergency parking area in the event of a flood condition. At completion of the project, the temporary borrow pit will be filled with soil from the existing roadway and the topsoil replaced on the borrow pit area. Details of the project are contained in information received electronically at the Division of Water on March 11, 2008 and in plans and information received at the Division of Water on

Location : Project is boundaried on the west by the Wabash River, on the north by Indiana 64, on the east and south by CR 970
Near East Mt. Carmel, White River Township, Gibson County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24755

Stream : Pleasant Run Creek

Applicant : City of Greenwood
Paul D Peoni
225 South Emerson Avenue, Suite A
Greenwood, IN 46143-1955

Description : The existing single span concrete slab top culvert carrying Fry Road over Pleasant Run Creek will be replaced with a new structure on the same horizontal alignment with a slightly higher grade (less than two feet). The new structure will be a reinforced concrete slab structure with span length of 42.2'. The structure will have an out-to-out length of 73.4' and a clear roadway width of 51.1'. The abutments will have 2:1 sideslopes armored with riprap placed over a geotextile fabric. The abutments and piers will not be skewed to align with the streamflow. The existing structure will be completely removed. The project is partially federally funded. Details of the project are contained in information received electronically at the Division of Water on March 11, 2008 and in plans and information received at the Division of Water on

Location : At the intersection of Fry Road and Pleasant Run Creek
at Greenwood, Pleasant Township, Johnson County
Section 29, T 14N, R 4E, Beech Grove Quadrangle
Quad Code: 3908661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : PL-20942

Lake : Snow Lake

Applicant : Michael R Klein
405 Blanchard Drive
Defiance, OH 43512-3459

Description : A 30' x 10' underwater beach will be constructed across 30' of the applicant's 75' frontage by placing a uniform 3" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on February 27, 2008.

Location : 555 Lane 750
at Fremont, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20951

Lake : Big Turkey Lake

Applicant : Richard Caston
11805 E 390 S
LaGrange, IN 46761-8946

Description : A 50' by 50' underwater beach will be constructed across 50' of the applicant's 110' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on February 7, 2008 and March 5, 2008.

Location : 11808 East 390 South
near Stroh, Milford Township, LaGrange County
NW¼, SE¼, SE¼, Section 12, T 36N, R 11E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4605522 North, 650255 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20960

Lake : Hamilton Lake

Applicant : Joe Mason
26171 Hickory Boulevard, 4A
Bonita Springs, FL 34134-3772

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on February 26, 2008.

Location : 1780 Lane 150; Lot 33 of Oakwood Shores

near Hamilton, Otsego Township, Steuben County
SE¼, SW¼, NW¼, Section 33, T 36N, R 14E, Hamilton Quadrangle
Quad Code: 4108458
UTM Coordinates: Downstream 4600967 North, 673824 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20963

Lake : Hamilton Lake

Applicant : Ken Yoder
703 West High Street
Hicksville, OH 43526-9346

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on February 28, 2008.

Location : 1820 Lane 150; Lot 31 of Oakwood Shores
near Hamilton, Otsego Township, Steuben County
SW $\frac{1}{4}$, NE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 33, T 36N, R 14E, Hamilton Quadrangle
Quad Code: 4108458
UTM Coordinates: Downstream 4600928 North, 673834 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20968

Lake : Lake Wawasee

Applicant : Ray C Butler
3081 North National Road
Columbus, IN 47201-3235

Description : An existing boat well will be cleaned and enlarged within the property of the applicant and enclosed with a boathouse. The existing 32.8' wide well extends 98.4' landward of the average normal shoreline of the lake. The boat well will be expanded to approximately 22.6' deep by 23' wide, with boatwell walls which are approximately 60" deep by 16" wide uniformly. The accumulated sediment and debris from the bottom of the existing boatwell, as well as the additional dirt for the expansion, will be removed and disposed off-site. Additionally, an existing seawall will be refaced across a portion of the frontage of the applicant on the channel to Lake Wawasee approximately 30' in length to prevent deterioration. The refacing will consist of concrete which be added to the existing wall. The refaced seawall will be approximately 13" at the top and sloped on the lakeward side to approximately 30" wide. Details of the project are contained in information received electronically at the Division of Water on March 6, 2008 and in plans and information received at the Division of Water on

Location : 11561 North Crowdale Drive
near Syracuse, Turkey Creek Township, Kosciusko County
Section 14, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11